Aluminium Door Front Edge Pull



Configuration Options

The **Aluminium Door Front Edge Pull** is a high quality front edge pull designed specifically to complement our aluminium door leaves. The body is extruded from aluminium, then machined before brushing, plating and assembly. It is strong enough to provide a positive grip on even the heaviest doors.

Once installed, this edge pull sits virtually flush with the edge of the door and has no visible screw fixings.

The Aluminium Door Front Edge Pull suits our **CS NewYorker** glazed doors, and the **CS AluTec** and **CS MirrorLite** only.

Dimensions





 Aluminium Door Front Edge Pull fitted to a NewYorker Door.

The Aluminium Door Front Edge Pull sits flush when not in use.

EDoorLeaves™

The **Aluminium Door Front Edge Pull** is suitable for use <u>only</u> with the following door leaves from CS:

SewYorker™

₿MirrorLite

∮AluTec™

CS Cavity Sliders Pty. Ltd. T 02 9905 0588 F 02 9905 7088

Drawings & pictures are not to scale. All dimensions in millimetres.

www.cavitysliders.com.au info@cavitysliders.com.au

PO Box 158 Freshwater, NSW 2096



copyright and other property in this document is reserved by CS Cavity Sliders Pty. Ltd. Details and specifications are subject to change without notice. iilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions. the accuracy of all information, no responsibility will be accepted for ad Trademark. Australian Patent Pending: 2005 202818. iLock Aluminium Door Front Edge Pull[™] (O.D. 2001). 60113 - 08.2017 istered Tradema CaviLock Alum Regis . Ltd. ' Ę. SS

Timber Edge Pull



Handles & Locks for Sliding Doors

The Timber Edge Pull is a high-quality front edge pull for timber doors. The body is machined from brass, the pull cast stainless steel. It is strong enough to provide a positive grip on even the heaviest doors.

Once installed this edge pull sits virtually flush with the edge of the door and has no visible screw fixings.

Dimensions









Drawings & pictures are not to scale. All dimensions in millimetres. © Cavity Sliders Limited.

info@csfordoors.co.nz www.csfordoors.co.nz

Bay of Plenty / Waikato T 07 928 0800 F 07 928 2525

Christchurch T 03 348 6158 F 03 348 6150

Wellington T 04 473 9994 F 04 473 9995



FOR DOORS

Auckland Head Office

T 09 276 0800

F 09 276 2525

The Cavity Slider Experts

60142 - 08.2017 Cavity Sliders Limited. CAVILOCK® TIMBER EDGE PULLTM (0.D. 2005).

Halliday & Baillie End Pull



Handles & Locks for Sliding Doors

The Halliday & Baillie **Sliding Door End Pull** belongs to the Halliday & Baillie SLIDING DOOR HARDWARE range. This range of architectural hardware is specifically designed for cavity and surface sliding doors.

The small face plate, with its smooth push button release, and the narrow 48mm back-set, make the H & B End Pull ideal for both timber and aluminium doors. This stylish handle is suitable for residential and commercial applications, either inside or outdoors.

Dimensions





The End Pull, in the open position, fitted to an aluminium CS NewYorker door.

Finish Options

ChromeSatin Chrome

Rubbed Dark Bronze



Auckland Head Office T 09 276 0800 F 09 276 2525

Drawings & pictures are not to scale. All dimensions in millimetres. © Cavity Sliders Limited.

info@csfordoors.co.nz www.csfordoors.co.nz

Bay of Plenty / Waikato T 07 928 0800 F 07 928 2525 Christchurch T 03 348 6158 F 03 348 6150 Wellington T 04 473 9994 F 04 473 9995