



Plate Door Furniture

Plate Door Furniture

1800 Series Square End Plate Furniture

For a smart look choose this rectangular plate with bevelled edges and corners. It features concealed fixing on the outside plate.

Application

Designed for use with Lockwood Synergy Mortice Locks and Latches.

Features and Specifications

Handing

Plates are not handed; lever may be reversed by removing stop screw, except for handed levers as shown in the ordering procedure.

Dimensions

166 x 48 x 12mm

Fixing

Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.

Door Thickness

External plates are supplied with fixing screws to suit door thickness between 32 and 50mm.

For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.

Turn Functions

Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

Finishes

Standard

Satin Chrome Brushed SC


Non Standard

Polished Brass PB
 Chrome Plate CP
 Polished Brass Unlaqured BU
 Polyester Powdercoat PC
 Satin Brass SB
 Architectural Bronze AZ
 Architectural Bronze Unlaqured AU
 Antique Copper AC
 Oil Rubbed Bronze ORB


For the powdercoat color range, please see the Dulux Powdercoat Range at the end of this catalogue section.



Levers and Knobs to Suit



Plates and Functions



Plates and Functions Legend

Cylinder Hole		Fixed Lever		Indicating Turnknob	
Turnknob		Disabled		Indicating Slotted Turn	
Slotted Turn		LED		Lever	



Plate Door Furniture

2800 Series Round End Plate Furniture

A beautifully curved brass plate with bevelled edges and the benefit of concealed fixing on the external plate.

Application

Designed for use with Lockwood Synergy Mortice Locks and Latches.

Features and Specifications

Handing

Plates are not handed, lever may be reversed by removing stop screw, except for handed levers as shown in the ordering procedure.

Dimensions

166 x 48 x 12mm

Fixing

Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.

Door Thickness

External plates are supplied with fixing screws to suit door thickness between 32 and 50mm.

For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.

Turn Functions

Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

Finishes

Standard

Satin Chrome Brushed SC

Non Standard


Polished Brass	PB
Chrome Plate	CP
Polished Brass Unlaqured	BU
Polyester Powdercoat	PC
Satin Brass	SB
Architectural Bronze	AZ
Architectural Bronze Unlaqured	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

For the powdercoat color range, please see the Dulux Powdercoat Range at the end of this catalogue section.




Levers and Knobs to Suit

For detailed information regarding brass levers refer to page 3.100



Plates and Functions



Plates and Functions Legend

Cylinder Hole		Fixed Lever		Indicating Turnknob	
Turnknob		Disabled		Indicating Slotted Turn	
Slotted Turn		LED		Lever	



Plate Door Furniture

1800 and 2800 Series Ordering Procedure

Ordering Procedure

Sample part number 1801/41LCP is made up of several sections. Choose your product by selecting an option from each section.

For example:

Lockwood 1800 and 2800 Series Plate Furniture

Plate Type	Plate Function	Lever/ Knob	Handing	Finish
18	01	41	L	CP

Plate Type	
Exterior Square End	18
Interior Square End	19
Exterior Round End	28
Interior Round End	29

Plate Function	
Cylinder Only	00
Cylinder & Lever	01
Emergency Turn Only	02
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Plain Plate	07
Cylinder & Fixed Lever	08
Fixed Lever Only	09
Two Cylinders	10
Privacy Indicator Emergency Turn Only	13
Privacy Indicator Emergency Turn & Lever	14
Privacy Indicator Turnknob Only	15
Privacy Indicator Turnknob & Lever	16
Privacy Indicator Emergency Turn & Lower Cylinder	19
Cylinder, Lever & LED	20
Cylinder, Fixed Lever & LED	21
Lever & LED	22
Cylinder & LED	23
Proximity Cylinder & Lever	78

Plate Function - Handed	
Disabled Accessible Turnknob Only - Synergy	38
Disabled Accessible Turnknob & Lever - Synergy	39
Privacy Indicating Disabled Turn Only - Synergy	40
Privacy Indicating Disabled Turn & Lever - Synergy	41

Lever/Knob Type		
20	60	79
32	65	79B
44	66	83
45	67	97
55	71	
55A	78	

AS1428.1 Compliant Levers		
59	76	85
70	77	90
74	80	92

Handed Levers		
41	53	61

Handing	
Right Handed	R
Left Handed	L

NB: Omit if non-handed

Finish	
Satin Chrome	SC
Polished Brass	PB
Chrome Plate	CP
Polished Brass Unlaqured	BU
Polyester Powdercoat	PC*
Satin Brass	SB
Architectural Bronze	AZ
Architectural Bronze Unlaqured	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

* For the powdercoat color range, please see the Dulux Powdercoat Range at the end of this catalogue section.

Plate Door Furniture

Proximity Furniture

Easy to install and operate, Lockwood Proximity Furniture is available in a wide range of stylish levers and finishes to enhance any contemporary building design, bringing a new dimension to commercial security locking solutions.

Proximity Mortice Lock Specifications

- Multivoltage 12-24VDC
- Field selectable fail safe/fail secure
- 60mm backset only

Monitoring

The following monitoring features are standard:

- Dual key override
- Deadlatched and locked
- Door closed
- Request to exit

Proximity Reader Specifications


- HID 125KHz proximity reader
- Wiegand data output
- Supply voltage: 5-12VDC
- Current requirements (stand by/peak)
25/90mA @ 5VDC, 15/125mA @ 12VDC
- Beeper activated when presenting proximity card
- Red/green led indication of reader/lock status

For details refer to 5.44



Plate Door Furniture

4800 Series Narrow Stile Plate Furniture



A slimline, rectangular brass plate that adds style to your choice of lever.

Application

Designed for use with Lockwood 3570 Synergy Series and 3P70 Pentagon Series Mortice Latches (4600/4700) and 3580 Series Synergy and 3P80 Pentagon Mortice Latches (4800/4900)

Note: certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the Back Set Suitability page at the end of this section.

Features and Specifications

Dimensions

185 x 26 x 11.5mm

Fixing


Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed. All lever handles are reversible, except those shown in the ordering procedure.

Door Thickness


External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.

Levers to Suit


For detailed information regarding brass levers refer to page 3.100



4800/4900 Plates and Functions (3580 Series)



4600/4700 Plates and Functions (3570 Series)



Lever and plain plate version use 4800/4900 equivalent

Plates and Functions Legend

Cylinder Hole		Fixed Lever		Indicating Turnknob	
Turnknob		Disabled Accessible		Indicating Slotted Turn	
Slotted Turn		LED		Lever	



Plate Door Furniture


5800 Series Narrow Stile Plate Furniture



ASSA ABLOY



5801/71CP



Functional, yet elegant, the soft lines of this round ended brass plate complement a wide range of levers.

Application

Designed for use with Lockwood 3570 Synergy Series and 3P70 Pentagon Series Mortice Latches (4600/4700) and 3580 Series Synergy and 3P80 Pentagon Mortice Latches (4800/4900)

Note: certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability chart on page 3.87.

Features and Specifications

Dimensions

185 x 26 x 11.5mm

Fixing


Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed. All lever handles are reversible, except those shown in the ordering procedure.

Door Thickness


External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.

Levers to Suit


For detailed information regarding brass levers refer to page 3.100



5800/5900 Plates and Functions (3580 Series)



5600/5700 Plates and Functions (3570 Series)



Lever and plain plate version use 5800/5900 equivalent

Plates and Functions Legend

Cylinder Hole		Fixed Lever		Indicating Turnknob	
Turnknob		Disabled Accessible		Indicating Slotted Turn	
Slotted Turn		LED		Lever	



FIRE RATED
* 3570 Series only



D3 DURABILITY



S3 HIGH SECURITY



ANTI-CORROSION

Rose Door Furniture

4800 and 5800 Series Ordering Procedure

Ordering Procedure

Sample part number 4801/53LCP is made up of several sections. Choose your product by selecting an option from each section.

For example:

Lockwood 4800/5800, 4600/5600 Series Plate Furniture

Plate Type	Plate Function	Lever Type	Handing	Finish
48	01	53	L	CP

Plate Type	Lever Type	Finish
3570	32 60 78	Satin Chrome SC
Exterior Square End 46	44 65 79	Polished Brass PB
Interior Square End 47	45 66 79B	Chrome Plate CP
Exterior Round End 56	55 67 83	Polished Brass Unlaqured BU
Interior Round End 57	55A 71 97	Polyester Powdercoat PC*
3580		Satin Brass SB
Exterior Square End 48	AS1428.1 Compliant Levers	Architectural Bronze AZ
Interior Square End 49	59 76 85	Architectural Bronze Unlaqured AU
Exterior Round End 58	70 77 90	Antique Copper AC
Interior Round End 59	74 80 92	Oil Rubbed Bronze ORB
	Handed Levers	
	41 53 61	

Plate Function	Handing
Cylinder Only 00	Right Handed R
Cylinder & Lever 01	Left Handed L
Emergency Turn Only 02	
Emergency Turn & Lever 03	
Turnknob & Lever 04	
Lever Only 05	
Turnknob Only 06	
Plain Plate 07	
Two Cylinders 10	
Cylinder, Lever & LED 20	
Lever & LED 22	
Cylinder & LED 23	
Plate Function - Handed	
Fixed Lever & Cylinder 08	
Fixed Lever Only 09	
Disabled Accessible Turnknob Only – Synergy 38S	
Disabled Accessible Turnknob & Lever – Synergy 39S	

* For the powdercoat color range, please see the Dulux Powdercoat Range at the end of this catalogue section.

NB: Omit if non-handed

Plate Door Furniture

Lockwood 4800/5800 Series Plate Furniture

Application

All narrow style door furniture will be closer to the door frame. Lever handles with 90 degree angles can cause the lever stem to hit the door frame and prevent the door from opening. The table below provides a guide to lever compatibility and each model of short back set lock from 3582 to 6580.

Backset Suitability Chart

Based on 12mm doorstop

Lever Number	3580 23mm	4580 25.4mm	5580 30mm	6580 38mm
32	X	X	✓	✓
41	X	X	✓	✓
44	X	X	X	X
45	X	X	✓	✓
53	X	X	✓	✓
55	X	X	X	X
55A	X	X	✓	✓
59	X	X	✓	✓
60	X	X	✓	✓
61	X	✓	✓	✓
65	X	X	✓	✓
66	X	X	✓	✓
67	✓	✓	✓	✓
70	✓	✓	✓	✓
71	X	X	✓	✓
74	X	X	✓	✓
76	X	X	✓	✓
77	✓	✓	✓	✓
78	X	X	✓	✓
79	X	X	X	X
79B	X	X	✓	✓
80	X	✓	✓	✓
83	X	X	✓	✓
85	X	X	✓	✓
90	X	X	✓	✓
92	X	X	✓	✓
97	✓	✓	✓	✓

Plate Door Furniture

200 Series Artefact Square Corner Plates

The 200 Series Door Furniture is 162mm square with square corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Locks; Latches and Push and Pull doors.

Features and Specifications

Dimensions

162 x 162 x 3mm – aluminium

162 x 162 x 2mm – stainless steel and brass

Materials

Aluminium, brass and stainless steel

Door Thickness

35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

Note: When using flush pulls back to back the minimum door thickness is 40mm.

Finishes

Standard

Natural Anodised Aluminium

NT

Satin Stainless Steel

SS

Non Standard

Polished Stainless Steel

PS

Powdercoat


PC

Marine Grade

MG

Polished Brass

PB



Levers and Knob to Suit



Brass levers and knobs also available on stainless steel and brass plates refer page 3.100

*Aluminium Only

Pull Handle to Suit



Plates



Legend

Cylinder Hole		Slotted Button		LED	
Turn-Snib		Disabled		Indicating Slotted Button	



FIRE RATED



D3 DURABILITY



S3 HIGH SECURITY



ANTI-CORROSION

Plate Door Furniture

202 Series Artefact 10mm Radius Corner Plates

The 202 Series Door Furniture is 162mm square with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Locks; Latches and Push and Pull doors.

Features and Specifications

Dimensions

162 x 162 x 3mm – aluminium

162 x 162 x 2mm – stainless steel and brass

Materials

Aluminium, stainless steel and brass.

Door Thickness

35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

Note: When using flush pulls back to back the minimum door thickness is 40mm.

Finishes

Standard

Natural Anodised Aluminium

Stainless Steel

NT

SS

Non Standard

Polished Stainless Steel

Powdercoat

Marine Grade


Polished Brass

PS

PC

MG

PB




Levers and Knob to Suit



Brass levers and knobs also available on stainless steel and brass plates refer page 3.100

*Aluminium Only

Pull Handle to Suit



Plates



Legend

Cylinder Hole		Slotted Button		LED	
Turn-Snib		Disabled		Indicating Slotted Button	



FIRE RATED



DURABILITY



HIGH SECURITY



ANTI-CORROSION

Plate Door Furniture

200/202 Series Artefact Ordering Procedure

Ordering Procedure

Sample part number 20001NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

For example:

200 Series

Plate Type	Plate Function	Engraving	Cylinder Shape	Lever/Knob/Pull Handle	Handing	Finish
200	01	N	A	96	L	SS

Plate Type	Plate Function	Engraving	Lever/ Knob Type
Exterior Plate (162 x 162) – Square Corners 200	Plain Plate 07 Pull Handle Only 24	A – G Outlined Infill R – X Full Infill	20 65 80 20*2 66 83
Interior Plate (162 x 162) – Square Corners 201	Plate Function - Handed	Male symbol A R Male text B S Female symbol C T Female text D U Disabled symbol E V Push text F W Pull text G X Unisex symbol H Y No option N Miscellaneous text* P Corporate Engraving** Q	32 67 90 44 71 92 45 74 97 55 78 98*1 55A 79 98*2 60 79B
Exterior Plate (162 x 162) – Radius Corners 202	Cylinder Only 00 Cylinder & Lever 01 Emergency Turn Only 02 Emergency Turn & Lever 03 Turn Knob & Lever 04 Lever Only 05 Turn Knob Only 06 Cylinder & Fixed Lever 08 Fixed Lever Only 09 Dual Cylinder 10 Privacy Indicator Emergency Turn Only 13 Privacy Indicator Emergency Turn & Lever 14 Privacy Indicator Turn Knob Only 15 Privacy Indicator Turn Knob & Lever 16 Cylinder, Lever & LED 20 Cylinder, Fixed Lever & LED 21 Lever & LED 22 Cylinder & LED 23 Pull Handle & Cylinder 25 Pull Handle & Emergency Turn 26 Pull Handle & Turn Knob 27 Pull Handle & Privacy Indicator Emergency Turn 28 Pull Handle & Privacy Indicator Turn Knob 29 Pull Handle & Dual Cylinder 30 Flush Pull Only 31 Flush Pull & Cylinder 32 Flush Pull & Emergency Turn 33 Flush Pull & Turn Knob 34 Flush Pull & Privacy Indicator Emergency Turn 35 Flush Pull & Privacy Indicator Turn Knob 36 Flush Pull & Dual Cylinder 37 Disabled Turn Only 38 Disabled Turn & Lever 39 Pull Handle & Disabled Turn 42	* Separate charge per letter ** Separate charge per logo For all in-filled engraving, black gloss is the standard.	AS1428.1 Compliant Levers 59 85 96*2 76 88*2 77 96*1
Interior Plate (162 x 162) – Radius Corners 203			Handed Levers 41 53 61
			Pull Handles P1 P1*1 75*2 <i>Handles are brass unless indicated otherwise</i> *1 = Stainless Steel *2 = Aluminium
			Handing Left Handed L Right Handed R
			Finish Stainless Steel Finishes Satin Stainless Steel SS Polished Stainless Steel PS Powdercoat PC Marine Grade MG Aluminium Finishes Natural Anodised NT Brass Finishes Polished Brass PB

Plate Door Furniture

212 Series Artefact Oval Plates



ASSA ABLOY

The 212 Series Door Furniture is 162mm long x 50mm wide with radius ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Latches.

Features and Specifications

Dimensions

162 x 50 x 3mm – aluminium

162 x 50 x 2mm – stainless steel and brass

Materials

Aluminium, stainless steel or brass.

Door Thickness

35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Natural Anodised Aluminium NT

Stainless Steel SS


Non Standard

Polished Stainless Steel PS

Powdercoat PC

Marine Grade MG

Polished Brass PB




Levers and Knob to Suit




Brass levers and knobs also available on stainless steel and brass plates refer page 3.100

*Aluminium Only

Pull Handle to Suit



Plates



Legend

Cylinder Hole		Slotted Button		LED	
Turn-Snib		Disabled		Indicating Slotted Button	



FIRE RATED



DURABILITY



HIGH SECURITY



ANTI-CORROSION

Plate Door Furniture

224 Series Artefact Rectangular Plates

The 224 Series Door Furniture is 162mm long x 50mm wide with square ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Latches.

Features and Specifications

Dimensions

162 x 50 x 2mm – stainless steel

Materials

Stainless Steel only.


Door Thickness

35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

Standard Finishes


Stainless Steel

SS



Stainless Steel

Levers and Knob to Suit




Brass levers and knobs also available refer page 3.100

Pull Handle to Suit



Plates



Legend

Cylinder Hole		Slotted Button		LED	
Turn-Snib		Disabled		Indicating Slotted Button	

FIRE RATED

DURABILITY

HIGH SECURITY

ANTI-CORROSION

Plate Door Furniture

212/224 Series Artefact Ordering Procedure

Ordering Procedure

Sample part number 21201NA/96LSS is made up of several sections.
Choose your product by selecting an option from each section.

For example:

212 Series

Plate Type	Plate Function	Engraving	Cylinder Shape	Lever/Knob/Pull Handle	Handing	Finish
212	01	N	A	96	L	SS

Plate Type	Plate Function	Engraving	Lever/ Knob Type
Exterior Plate (162 x 50) – Oval 212	Cylinder Only 00	A – G Outlined Infill R – X Full Infill	20 65 80
Interior Plate (162 x 50) – Oval 213	Cylinder & Lever 01	Male symbol A R	20*2 66 83
Exterior Plate (162 x 50) – Rectangular 224	Emergency Turn Only 02	Male text B S	32 67 90
Interior Plate (162 x 50) – Rectangular 225	Emergency Turn & Lever 03	Female symbol C T	44 71 92
	Turn Knob & Lever 04	Female text D U	45 74 97
	Lever Only 05	Disabled symbol E V	55 78 98*1
	Turn Knob Only 06	Push text F W	55A 79 98*2
	Plain Plate 07	Pull text G X	60 79B
	Dual Cylinder 10	Unisex symbol H Y	AS1428.1 Compliant Levers
	Privacy Indicator Emergency Turn Only 13	No option N	59 85 96*2
	Privacy Indicator Emergency Turn & Lever 14	Miscellaneous text* P	76 88*2
	Privacy Indicator Turn Knob Only 15	Corporate Engraving** Q	77 96*1
	Privacy Indicator Turn Knob & Lever 16	<i>* Separate charge per letter ** Separate charge per logo For all in-filled engraving, black gloss is the standard.</i>	Handed Levers
	Cylinder, Lever & LED 20	Cylinder Shape	41 53 61
	Cylinder, Fixed Lever & LED 21	Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders A	Angled Levers
	Lever & LED 22	Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders B	98A
	Cylinder & LED 23	No Cylinder Function N	Pull Handles
	Pull Handle Only 24	Disabled Accessible Turn – Pentagon P	P1 P1*1 75*2
	Pull Handle & Cylinder 25		<i>Handles are brass unless indicated otherwise *1 = Stainless Steel *2 = Aluminium</i>
	Pull Handle & Emergency Turn 26		Handing
	Pull Handle & Turn Knob 27		Left Handed L
	Pull Handle & Privacy Indicator Emergency Turn 28		Right Handed R
	Pull Handle & Privacy Indicator Turn Knob 29		Finish
	Pull Handle & Dual Cylinder 30		Stainless Steel Finishes
	Flush Pull Only 31		Satin Stainless Steel SS
	Flush Pull & Cylinder 32		Polished Stainless Steel PS
	Flush Pull & Emergency Turn 33		Powdercoat PC
	Flush Pull & Turn Knob 34		Marine Grade MG
	Flush Pull & Privacy Indicator Emergency Turn 35		Aluminium Finishes
	Flush Pull & Privacy Indicator Turn Knob 36		Natural Anodised NT
	Flush Pull & Dual Cylinder 37		Brass Finishes
	Plate Function - Handed		Polished Brass PB
	Cylinder & Fixed Lever 08		
	Fixed Lever Only 09		
	Disabled Turn Only 38		
	Disabled Turn & Lever 39		
	Pull Handle & Disabled Turn 42		

Plate Door Furniture

Detention Series Furniture – Square Plate

Description

A heavy duty plate designed for use in hospitals and detention facilities. Styled for institutional use, this plate has six fixing points to ensure that it is well secured to the door. Plates are designed to be free of ligature points.

Application

Lockwood 3570 Series Mortice Locks and Lockwood 3579 Secure Area Rated Locks.

Features and Specifications

- Anti-ligature
- Covers fixing holes from existing Artefact 200 Series Furniture
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turn knob is held from the inside.

Dimensions

162mm x 180mm x 2mm: base plate

161 mm x 75mm x 3mm: bevelled top plate

Handing

All plates are handed except 220D07 and 220D31, which are non-handed when ordered without engraving.

Materials

Stainless steel

Fixing

- Six fixing points
- 220D series plates have concealed fixings
- 221D series plates have visible fixings

Door Thickness

35mm minimum, 45mm maximum

For thicker doors, longer screws are required.

Note: A minimum door thickness of 50mm is required to fit flush pulls back to back.


Standard Finish

Satin Stainless Steel SS



Lever and Knob Selection





Standard Knob 21



Webbed Knob 22



Lever 23



FIRE RATED



DURABILITY



HIGH SECURITY




ANTI-CORROSION

Plate Door Furniture

Detention Series Furniture – Square Plate Functions



ASSA ABLOY



Legend:

	Cylinder Hole		Knob/Lever		Fixed Knob/Lever		Turn Snib		Emergency Turn
	Privacy Indicator Turn Snib		Privacy Indicator Emergency Turn		LED		Pull Handle		Flush Pull

Cylinder guards must be ordered separately. Only the plate functions shown above in red are available with engraving.

Plate Door Furniture

Detention Series Furniture – Rectangular Plate

Description

This smaller plate range has been designed for use in detention facilities such as hospitals where domestic aesthetics are preferred over institutional type styling. Plates are designed to be free of ligature points.

Application

Lockwood 3570 Series Mortice Locks and Lockwood 3579 Secure Area Rated Locks.

Features and Specifications

- Anti-ligature
- Covers fixing holes from existing 212 Series Artefact Plates
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turn knob is held from the inside.

Dimensions

162mm x 76mm x 2mm: base plate

161mm x 75mm x 3mm: bevelled top plate

Handing

Only plates with levers and/or turn knobs are handed.

Materials

Stainless steel

Fixing

- Four fixing points
- 222D series plates have concealed fixings
- 223D series plates have visible fixings

Door Thickness

35mm minimum, 45mm maximum

For thicker doors, longer screws are required.


Standard Finishes

Satin Stainless Steel SS




Lever and Knob Selection


Standard Knob 21



Webbed Knob 22



Lever 23



FIRE RATED



DURABILITY




HIGH SECURITY



ANTI-CORROSION

Plate Door Furniture

Detention Series Furniture – Rectangular Plate Functions



Legend:	 Cylinder Hole	 Knob/Lever	 Fixed Knob/Lever	 Turn Snib	 Emergency Turn
	 Privacy Indicator Turn Snib	 Privacy Indicator Emergency Turn	 LED	 Pull Handle	 Flush Pull

Note: Only plates with levers and/or turn knobs are handed. 223D Series have visible fixings.





Plate Door Furniture

Detention Series Furniture – Accessories

Knobs and Lever


Standard Knob 21

Simple yet functional, this knob has soft edges to minimise impact injuries and anti-ligature features that make it suitable for use in detention facilities.




Webbed Knob 22

The webbed knob combines pleasing aesthetics, comfortable grip and anti-ligature features to provide a solution for any environment.




Detention Lever 23

Ergonomically designed to maximise grip, the detention lever is suitable for use in hospitals and minimum security applications. It caters especially for the elderly or people with arthritic conditions.




Turns


Emergency Turn



Turn Knob



Indicating Emergency Turn



Indicating Turn Knob





Plate Door Furniture

Detention Series Furniture – Accessories

Pulls

Flush Pull

The detention flush pull has been designed to maximise grip and eliminate the possibility of hiding objects in the cavity.



Standard Pull

The detention pull allows for a firm grip and can be used to open heavy doors. Also designed to be free of hanging points.



Cylinder Guards

Description

Cylinder guards must be fitted with any cylinder plate function. Guards are available to suit different door thicknesses.

Part Number	Door Thickness Suitability
220D00/40SS	Suit doors 35-40mm
220D00/45SS	Suit doors 40-45mm
220D00/50SS	Suit doors 45-50mm
220D00/55SS	Suit doors 50-55mm
220D00/60SS	Suit doors 55-60mm



Fixing Screws

Torx anti-tamper, snake-eye and standard screws are available in accessory packs to suit different door thicknesses. Only standard screws to suit doors 35mm – 45mm thick are supplied with furniture. Other variations need to be ordered separately using part numbers specified.

All accessory packs contain six screws.

Part Number	Description	Door Thickness Suitability
220D11/45	Torx Anti-tamper Screws	35 - 45mm
220D11/55	Torx Anti-tamper Screws	45 - 55mm
220D11/65	Torx Anti-tamper Screws	55 - 65mm
220D12/45	Standard Screws	35 - 45mm
220D12/55	Standard Screws	45 - 55mm
220D12/65	Standard Screws	55 - 65mm
220D13/50	Snake-eye Screws	35 - 50mm

Plate Door Furniture

Palladium® Series Overview

The exceptional range of Palladium Door Furniture offers builders, specifiers and interior designers an array of levers that can be used in any residential environment.

The Palladium Series of door furniture reflects the best in quality, blended with sophisticated designs. The Palladium Series was produced to meet the rigorous aesthetic requirements of residential markets, while conforming to the ever increasing need for quality semi-commercial building segments.

Available in Palladium and Palladium Xtra versions to suit a wide range of applications.



Summit® L1



Spire® L2



Element™ L3



Glide™ L4



Aria® #27



Hakea® #28



Acacia® #29



Saltbush® #34



Mulga® #36



Gidgee® #37

Plate Door Furniture

Palladium® Series Door Furniture

The Palladium Series represents the highest standard in residential and semi-commercial door hardware and is brought to you through modern innovative designs, combined with quality manufacturing. A wide range of lever options is available to enable a common style throughout the home.

Features and Specifications

Dimensions

222 x 30 x 9mm

Handing

Easy, field selectable handing.

Materials

All plates and levers in the Palladium Series are constructed from solid zinc die-cast.

Fixing

Lockwood Palladium Series Door Furniture is a complete set, supplied with both the internal and external plates. Plates are designed to fit back to back to be fully concealed externally.

Door Thickness


Minimum 32mm – maximum 45mm door thickness.

Keying

Use with Euro profile cylinder.


Finishes

Satin Chrome Pearl	SP
Chrome Plate	CP
Gold Plate	GLD
Black	BLK
Polyester Powdercoat (Specify Dulux Color)	PPC



85mm Plates and Functions


For use with Optimum Mortice Locks.



Note: The internal single cylinder configuration is also used in the Palladium French Door kits (PLFD/85/##) only in this configuration the external lever is fixed.

No Pitch Plates

For use with passage functions.



Represents lever style number.

Plate Door Furniture

Palladium® Xtra Furniture

The Palladium Xtra Series is designed specifically for the Optimum range of mortice locks to increase functionality enabling both internal snibbing for safety mode and lock status indication.

Palladium Xtra is suitable for use in residential buildings, apartments and semi-commercial applications.

Features and Specifications

Dimensions

222 x 30 x 9mm

Handing

Easy, field selectable handing.

Materials

All plates and levers in the Palladium Series are constructed from solid zinc die-cast.

Fixing

Lockwood Palladium Xtra door furniture is a complete set, supplied with both the internal and external plates. Plates are designed to fit back to back to be fully concealed externally.

Door Thickness

Minimum 32mm – maximum 45mm door thickness.

Keying


Use with Euro profile cylinder.

Finishes

Satin Chrome Pearl	SP
Black	BLK
Chrome Plate	CP
Polyester Powder Coat	PPC



85mm Plates and Functions



PX4/85/##

Represents lever style number.






Plate Door Furniture

Palladium® Series Door Furniture


Summit® L1




Hakea® #28




Spire® L2




Acacia® #29




Element™ L3




Saltbush® #34




Glide™ L4



Mulga® #36



Aria® #27



Gidgee® #37




Plate Door Furniture

Palladium® Series Ordering Procedure



ASSA ABLOY

Ordering Procedure

Sample part number PL4/85/34SC is made up of several sections.
Choose your product by selecting an option from each section.

For example:

Palladium

Platform Name	Function	Pitch	Lever	Finish
PL	4	85	34	SP

Platform Name		Pitch		Finish	
Palladium	PL	Lever Only	00	Chrome Plate	CP
		85mm Pitch	85	Gold Plate	GLD
Function		Lever		Satin Chrome Pearl	SP
Passage Set	1	Summit	L1	Black	BLK
External Single Cylinder	2	Spire	L2	Polyester Powder Coat	PPC
Internal Single Cylinder	3	Element	L3		
Double Cylinder	4	Glide	L4		
Fixed Dummy	5	Aria	27		
French Door	FD	Hakea	28		
		Acacia	29		
		Saltbush	34		
		Mulga	36		
		Gidgee	37		

Palladium Xtra

Platform Name	Function	Pitch	Lever	Finish
PX	4	85	34	SP


Platform Name		Pitch		Finish	
Palladium Xtra	PX	85mm Pitch	85	Satin Chrome Pearl	SP
Function		Lever		Black	BLK
Double Cylinder	4	Summit	L1	Chrome Plate	CP
		Spire	L2	Polyester Powder Coat	PPC
		Element	L3		
		Glide	L4		
		Aria	27		
		Hakea	28		
		Acacia	29		
		Saltbush	34		
		Mulga	36		
		Gidgee	37		

Plate Door Furniture

Brass Furniture Thicker Door Accessories

Lockwood brass door furniture is suitable use across a wide range of door thicknesses. In certain applications longer screws, spindles and turnsnib tailbars may be required.


Screws



Part Number	Pack Size	Length (A)	Threaded Length (B)	Door Thickness	
				Min	Max
SPA20-V3 NSS	20	65mm	40mm	32mm	50mm
SP0655MBK	10	75mm	40mm	42mm	60mm
SP1800-608ZP	10	120mm	75mm	52mm	105mm
SP1800-208SS	10	215mm	125mm	97mm	200mm

Note: Item shown is red is the standard screw that is supplied with furniture. Consideration should be given to screw finish on furniture platforms featuring visible fixing.

Mortice Lock Spindles



Part Number	Pack Size	Length (A)	Door Thickness	
			Min	Max
SP3570-5018	10	33mm	35mm	50mm
SP3570-5228	10	45mm	50mm	75mm
SP3570-5238	1	58mm	75mm	100mm

Note: Item shown is red is the standard screw that is supplied with furniture.

In thicker door scenarios when Lockwood Brass Door Furniture is used with Lockwood Synergy Series Mortice Locks longer spindles may be required.

Turnsnib Tailbars

The door thickness range for a turnsnib tailbar will depend on whether the turn is in a cylinder and turn configuration or a privacy (turn and turn) configuration

Part Number	Pack Size	Length
SP571-38ZP	10	47mm
SP571-138ZP	1	98mm

Note: Item shown is red is the standard tailbar that is supplied with furniture.



Plate Door Furniture

Dulux Powdercoat Range

Colour Swatches



50279
Dulux Wedgewood Satin



33344
Dulux Horizon Blue Gloss



36603
Dulux Azure Grey Satin



32786
Dulux APO Grey Satin



81880
Dulux Pearl White Gloss



36858
Dulux Oyster Matt



33704
Dulux Tropics Gloss



33662
Dulux Pottery Satin



32774*
Dulux Claret Satin



32999*
Dulux Charcoal Gloss



33149
Dulux Red Earth Gloss



51032
Dulux Old Mauve Satin



32694*
Dulux Black Gloss



19319*
Dulux Black Matt



19930*
Dulux Anodic Bronze Satin



50068*
Dulux Deep Brunswick
Green Gloss



52052*
Dulux Precious Pearl
Gloss



18796*
Dulux Charcoal
Met Pearl Gloss



51275
Dulux Anotec Dark
Grey Matt



32538
Dulux Stone Beige Matt

The colours represented on this chart are as close to the actual colours as modern printing processes allow.

*Technical advice should be sought, where severe ultraviolet exposure conditions exist.

Note: Consideration should be given to match cylinder finish. Dulux Lock Bronze Powdercoat recommended as an alternative to the discontinued Florentine Bronze Plated Finish.


Plate Door Furniture

Combination Finish Selection Guide

The following door furniture series are available in combinations finishes:


- 1220 Series
- 1420 Series
- 1800 Series
- 2800 Series

Lever Handle Set



Mortice Lock and Latch Set

Plate Furniture*




Escutcheons


Round Escutcheon*




Blank Rose



Turnknob



Emergency Release



* Consideration should be given to cylinder colour.

When selecting a colour option from the Symphony finish combination table, please refer to the following code to establish your preferred finish selection.

	Rose	Retainer/ Plate	Lever/ Turn
	1	2	3
Lever Handle Set	F03 = CP	PB	CP
Plate Furniture	F03 = N/A	PB	CP
Escutcheon	F03 = CP	PB	N/A
Round Escutcheon	F03 = CP	PB	CP
Blank Rose	F03 = CP	PB	CP
Turnknob	F03 = CP	PB	CP
Emergency Release	F03 = CP	PB	CP

Finish Options

Finish Combinations

Where PC indicated, nominate colour selected.

F02	PC / PB / PC
F03	CP / PB / CP
F04	PC / CP / PC
F05	PB / CP / PB
F07	PB / PC / PB
F08	CP / PC / CP
F09	SB / SC / SB
F10	SC / SB / SC
F15	SC / PB / SC
F16	SC / PC / SC
F19	CP / PC / CP
F22	PB / SC / PB
F23	PB / SB / PB
F25	PC / SC / PC
F27	PC / SB / PC
F30	SB / PB / SB
F31	SB / PC / SB
F32	SB / CP / SB
F38	CP / SC / CP
F40	CP / SB / CP
F64	SC / CP / SC
F65	PC / SC / SC
F67	PC / PB / PB
F70	CP / PB / PB
F71	CP / CP / SC
F72	CP / PB / SC
F73	PB / PB / CP
F74	PB / CP / CP
F75	SC / PB / PB
F83	PB / SC / SC

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience



ASSA ABLOY



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

As the world's leading lock group, ASSA ABLOY offers a more complete product range of door opening solutions than any other company in the market.

Australia
1300 LOCK UP (1300 562 587)
lockweb.com.au

New Zealand
Telephone +64 9415 7111
assaabloy.co.nz

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, North Shore City, 0632
New Zealand

info.au@assaabloy.com
assaabloy.com.au

info.nz@assaabloy.com
assaabloy.co.nz





Levers and Knobs

Levers and Knobs

Brass Levers and Knobs


Finger clearance is defined as the clearance between the lever and the base of the rose or plate at the centre of the lever. The tables below are calculated using an assembled plate/rose thickness of 12.5mm. Due to different bearing bush, the projection and finger clearance of levers in the 4800/5800 Series is 2.5mm larger than the value shown (except Lever 90).

For use on the following door furniture series:

- 1220 Series
- 1420 Series
- 1360 Series
- 1370 Series
- 1800 Series
- 2800 Series
- 4800 Series
- 5800 Series
- Artefact Series II Furniture


Knob 20

Dimensions	
Diameter	50mm
Projection	73mm
Not compatible with Symphony roses	




Lever 32

Dimensions	
Length	107.5mm
Projection	53mm
Finger clearance	35.5mm



Knob 40


Dimensions	
Diameter	48mm
Projection	54.5mm
Not compatible with Symphony roses	



Intermezzo 41

Dimensions	
Length	130mm
Projection	61.5mm
Finger clearance	40.5mm

*Lever is an asymmetrical design and therefore must be handed.




Levers and Knobs

Brass Levers and Knobs


Arpeggio 44

Dimensions	
Length	125mm
Projection	59.5mm
Finger clearance	42mm



Sonata 45


Dimensions	
Length	117.5mm
Projection	57mm
Finger clearance	40mm



Nocturne 48

Dimensions	
Length	125mm
Projection	65mm
Finger clearance	37mm


*Lever is an asymmetrical design and therefore must be handed.



Capella 50

Dimensions	
Length	124mm
Projection	62.5mm
Finger clearance	40.3mm

*Lever is an asymmetrical design and therefore must be handed.




Levers and Knobs

Brass Levers and Knobs

Veloce 53


Dimensions	
Length	123mm
Projection	73.5mm
Finger clearance	45mm

*Lever is an asymmetrical design and therefore must be handed.




Lever 55

Dimensions	
Length	124mm
Projection	62.5mm
Finger clearance	40.3mm




Overture 59

Dimensions	
Length	121mm
Projection	57.5mm
Finger clearance	51mm



Lever 62

Dimensions	
Length	127.5mm
Projection	67mm
Finger clearance	42mm



Levers and Knobs


Brass Levers and Knobs



ASSA ABLOY


Lever 70

Dimensions	
Length	121mm
Projection	53.6mm
Finger clearance	37.7mm




Tempo 71

Dimensions	
Length	118mm
Projection	62mm
Finger clearance	44.5mm




Ving 74

Dimensions	
Length	120mm
Projection	56mm
Finger clearance	48mm



Cadenza® 78

Dimensions	
Length	118mm
Projection	52mm
Finger clearance	30mm




Levers and Knobs

Brass Levers and Knobs


Tenor 79®

Dimensions	
Length	124mm
Projection	50.5mm
Finger clearance	40.5mm




Lever 79B

Dimensions	
Length	118mm
Projection	50.5mm
Finger clearance	40.5mm




Lever 80

Dimensions	
Length	121mm
Projection	46.5mm
Finger clearance	37.5mm



Lever 83

Dimensions	
Length	112mm
Projection	62mm
Finger clearance	33.5mm



Levers and Knobs


Brass Levers and Knobs



ASSA ABLOY


Lever 90

Dimensions	
Length	118.5mm
Projection	52mm
Finger clearance	45.2mm



Lever 91


Dimensions	
Length	115mm
Projection	52mm
Finger clearance	45.2mm



Lever 94


Dimensions	
Length	120mm
Projection	50.5mm
Finger clearance	34.6mm

*Lever is an asymmetrical design and therefore must be handed.



Chorus Line 97

Dimensions	
Length	120mm
Projection	50.5mm
Finger clearance	34.6mm



Levers and Knobs

Diecast Levers


For use on the following door furniture series:

- Daintree Series
- Palladium
- Velocity (Levers L1, L2, L3 and L4 only)
- Nexion Locksets

Hakea® #28

Dimensions	
Length	121mm
Projection	62mm
Finger clearance	42mm


*Design Registered Australia/New Zealand



Acacia® #29

Dimensions	
Length	122mm
Projection	56mm
Finger clearance	41mm


*Design Registered Australia/New Zealand



Saltbush® #34

Dimensions	
Length	120mm
Projection	64mm
Finger clearance	41mm

*Design Registered Australia/New Zealand



Levers and Knobs

Diecast Levers




ASSA ABLOY

Aria® #S27

Dimensions	
Length	123mm
Projection	48mm
Finger clearance	36mm


*Design Registered Australia/New Zealand



Mulga® #36

Dimensions	
Length	123mm
Projection	63mm
Finger clearance	47mm


*Design Registered Australia/New Zealand



Gidgee® #37

Dimensions	
Length	122mm
Projection	53mm
Finger clearance	37mm


*Design Registered Australia/New Zealand



Summit® #L1

Dimensions	
Length	124mm
Projection	57mm
Finger clearance	37mm

*Design Registered Australia/New Zealand



Levers and Knobs


Diecast Levers

Spire® #L2

Dimensions

Length	126mm
Projection	57mm
Finger clearance	41mm

*Design Registered Australia/New Zealand




Element™ #L3

Dimensions

Length	122mm
Projection	54mm
Finger clearance	47mm

*Design Registered Australia/New Zealand




Glide™ #L4

Dimensions

Length	121mm
Projection	56mm
Finger clearance	34mm

*Design Registered Australia/New Zealand



ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

As the world's leading lock group, ASSA ABLOY offers a more complete product range of door opening solutions than any other company in the market.

Australia
1300 LOCK UP (1300 562 587)
lockweb.com.au

New Zealand
+64 9415 7111
assaabloy.co.nz

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

info.au@assaabloy.com
assaabloy.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, North Shore City, 0632
New Zealand

info.nz@assaabloy.com
assaabloy.co.nz

