Rimlocks



We take the worry out of protecting what's valuable to you. Lockwood: no worries*





www.lockweb.com.au

Contents









001

Deadlatch Deadlatch

page 3 page 8

355

Deadlock

page 14

303

Deadlock

page 16









507

Nightlatch

page 19

509

002

Nightlatch

page 21

201

Nightlatch

page 23

100

Nightlatch

page 25









211

Streamlatch

page 27

200

Nightlatch

page 29

213

Deadbolt

page 31



Description

The Australian-designed Lockwood 001® Deadlatch offers market-leading performance and reliability for your home and is available in both Knob and Lever versions.

The 001® Deadlatch features a cut-resistant stainless steel bolt, 11 concealed anchorage points and a door frame strengthener that combine to offer high security protection.

Additional features include a bolt hold back function that allows you to use your door in passage mode.

Features and Specifications

- Bolt hold-back function activated by external key or internal knob
- Can be key locked in hold-back position by key from inside
- Can be keyed alike to other Lockwood door locks
- Available in trade and display pack versions

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Product Details		
Backset	60mm	
Case	High purity zinc alloy	
Cylinders	Internal and external 5 pin tumbler mechanism. Brass cylinders and brass barrels.	
Door Thickness	30 - 45mm	
Finish	Gold (GLD) Satin Chrome Pearl (SP) Chrome Plate (CP) Brown (BRN) Everbrass (EVB)	
Latch	Stainless steel 18mm projection	
Packers	3mm thick packer plates are available, these packers are installed under lock body to align lock body with face of jamb	

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.


Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Standards and Compliance


Conforms to Australian Standard (AS4145.2-2008 S_L7D8C6)

Retrofitable

Replace your existing 001 Deadlatch™.



Double Cylinder with Knob



Exterior Cylinder

Interior



Kinetic Defence® Bump and pick resistant.



2 Keys Included Can be keyed alike to other Lockwood door locks.



SafetyRelease™ Minimises the risk of being locked in.



Retrofitable Replace your existing 001 Deadlatch™.



LockAlert® Interior Indicator shows lock status at a glance.



Safety Mode Securely locked from outside and free from inside.



Secure Mode

Securely locked from both inside and outside. For when nobody is home.



Passage Mode


Free to enter from outside and free to exit from inside.



Deadlatch Bolt Stainless steel 18mm projection.

001 - 1K1 with Open In Strike - Single Pack

Finish	Trade Pack	Display Pack
Gold	001-1K1GLD	001-1K1GLDDP
Satin Chrome Pearl	001-1K1SP	001-1K1SPDP
Chrome Plate	001-1K1CP	001-1K1CPDP
Brown	_	001-1K1BRNDP
Everbrass	001-1K1EVB	001-1K1EVBDP




Description

Suitable for INWARD opening timber framed doors.

001 - 1K2 with Open In Strike - Twin Pack

Finish	Trade Pack	Display Pack
Gold	_	001-1K2GLDDP
Satin Chrome Pearl	001-1K2SP	001-1K2SPDP
Bright Chrome	_	001-1K2CPDP
Everbrass	_	001-1K2EVBDP




Description


Suitable for INWARD opening timber framed doors. Keyed alike for extra convenience. Pack contains two locksets.

001 - 3K1 with Metal Frame Strike - Single Pack

Finish	Trade Pack	
Satin Chrome Pearl	001-3K1SP	

30 33





Description


Suitable for INWARD opening metal framed doors.

001 - 4K1 with Open Out Strike - Single Pack

Finish	Trade Pack
Satin Chrome Pearl	001-3K1SP


Description

Suitable for OUTWARD opening timber framed doors.



Double Cylinder with Lever





Exterior Cylinder

Interior



Kinetic Defence® Bump and pick resistant.



2 Keys IncludedCan be keyed alike to other Lockwood door locks.



SafetyRelease™ Minimises the risk of being locked in.



Retrofitable Replace your existing 001 Deadlatch™.



LockAlert®
Interior Indicator shows lock status at a glance.



Safety Mode Securely locked from outside and free from inside.



Secure ModeSecurely locked from both inside and outside. For when nobody is home.




Passage ModeFree to enter from outside and free to exit from inside.



Deadlatch Bolt Stainless steel 18mm projection.

001 - 1L1 with Open In Strike - Single Pack

Finish	Trade Pack	Display Pack
Gold	_	001-1K1GLDDP
Satin Chrome Pearl	001-1L1SP	001-1K1SPDP
Chrome Plate	_	001-1K1CPDP
Brown	_	001-1K1BRNDP
Everbrass	_	001-1K1EVBDP



Description


Suitable for INWARD opening timber framed doors.

001 - 3L1 with Metal Frame Strike - Single Pack

Finish	Trade Pack
Satin Chrome Pearl	001-3L1SP

Description


Suitable for INWARD opening metal framed doors.



001 - 4L1 with Open Out Strike - Single Pack

Description

Suitable for OUTWARD opening timber framed doors.





Description

The Australian-designed Lockwood 002® Deadlatch offers market-leading performance and reliability for your home and is available in both Knob and Lever versions.

The 002® Deadlatch features a cut-resistant stainless steel bolt, 11 concealed anchorage points and a door frame strengthener that combine to offer high security protection.

Additional features include a bolt hold back function that allows you to use your door in passage mode.

Features and Specifications

- High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener
- Bolt hold-back function activated by external key or internal knob
- Can be keyed alike to other Lockwood door locks

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Product Details		
Backset	60mm	
Case	High purity zinc alloy	
Cylinder	External 5 pin tumbler mechanism. Brass cylinder and brass barrel.	
Door Thickness	30 - 45mm	
Finish	Gold (GLD) Satin Chrome Pearl (SP) Chrome (CP) Brown (BRN)	
Latch	Stainles steel 18mm projection	
Packers	3mm thick packer plates are available, these packers are installed under lock body to align lock body with face of jamb	

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.


Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Standards and Compliance


Conforms to Australian Standard (AS4145.2 - 1993)

Retrofitable

Replace your existing 001 Deadlatch™.



Single Cylinder with Knob



Exterior Cylinder

Interior



Kinetic Defence® Bump and pick resistant.



SafetyRelease™ Minimises the risk of being locked in.



2 Keys IncludedCan be keyed alike to other Lockwood door locks.



Retrofitable Replace your existing 001 Deadlatch™.




Deadlatch Bolt Stainless steel 18mm projection.

002 - 1K1 with Open In Strike - Single Pack

Finish	Trade Pack
Satin Chrome Pearl	002-1K1SP

Description

Suitable for INWARD opening timber framed doors.




002 - 3K1 with Metal Frame Strike - Single Pack

Finish	Trade Pack	
Satin Chrome Pearl	002-3K1SP	

Description

Suitable for INWARD opening metal framed doors.




002 - 4K1 with Open Out Strike - Single Pack


002 - 4KT With Open Out Strike - Shight rack		
Finish	Trade Pack	
Satin Chrome Pearl	002-4K1SP	
No Cylinder		
Satin Chrome Pearl	002-4KSPNC	


Description

Suitable for OUTWARD opening timber framed doors.



Single Cylinder with Lever





Exterior Cylinder

Interior



Kinetic Defence® Bump and pick resistant.



SafetyRelease™ Minimises the risk of being locked in.



2 Keys IncludedCan be keyed alike to other Lockwood door locks.



Retrofitable Replace your existing 001 Deadlatch™.




Deadlatch Bolt Stainless steel 18mm projection.

Product Details

Finish	Trade Pack	
Satin Chrome Pearl	002-1L1SP	

Description

Suitable for INWARD opening timber framed doors.




Product Details

110ddct Details		
Finish	Trade Pack	
Satin Chrome Pearl	002-3L1SP	

Description

Suitable for INWARD opening metal framed doors.




Product Details

Finish	Trade Pack	
Satin Chrome Pearl	002-4L1SP	
No Cylinder		
Satin Chrome Peal	002-4L1SPNC	


Description

Suitable for OUTWARD opening timber framed doors.




002 Single Cylinder Deadlatch - Accessories

Packer Plate	
Finish	Trade Pack
Black	001-3254BLK




Retrofit 31mm Strike		
Finish	Trade Pack	
Gold	001-3653GLD	
Satin Chrome Pearl	001-3653SP	
Chrome Plate	001-3653CP	
Brown	001-3653BRN	



Metal Frame Strike Pack		
Finish	Trade Pack	
Gold	001-3053GLD	
Satin Chrome Pearl	001-3053SP	
Chrome Plate	001-3053CP	
Brown	001-3053BRN	



Outward Opening Strike	
Finish	Trade Pack
Gold	001-3253GLD
Satin Chrome Pearl	001-3253SP
Chrome Plate	001-3253CP
Brown	001-3253BRN



355 Double Cylinder Deadlock



Description

The premium security features provided by the 355 Deadlock make it an ideal lockset for both domestic and commercial applications.

Opened by key from outside and by turn knob from inside when free. Internal key locks or unlocks turn knob.

Features and Specifications

- Suitable for hinged and some sliding doors
- Lockable turn knob with inbuilt clutching device to resist wrench attack
- Strong interlocking case and mounting plate to resist jemmy and hammer attack
- Concealed fixing
- Positive deadlocking action
- The mechanism and the design are protected by Australian and International Patents and Design Registrations

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Product Details		
Backset	60mm	
Bolt	Stainless steel	
Case	Thick walled, high purity zinc alloy casting	
Case Retainer Plate and Operating Mechanism	Solid pressed steel and diecast. Zinc components.	
Cylinders	Internal and external 5 pin tumbler mechanism. Brass cylinders and brass barrels.	
Door Thickness	30 - 45mm	
Finish	Everbrass (EVB) Satin Chrome Pearl (SP) Chrome Plate (CP) Brown (BRN)	
Mounting Plate and Strike	Pressed steel	
Packers	3mm thick packing plates installed under lock body to align lock body with face of jamb	
Strike Converstion Plate	A strike conversion plate is required where the strike is to be installed in place of an existing flange strike	

Standards and Compliance

Conforms to Australian Standard (AS4145.2 - 2008 | SL7D8C6)

Restricted Special Keying


Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.





355 Double Cylinder Deadlock

Double Cylinder with Knob









Exterior Cylinder

Interior



Kinetic Defence® Bump and pick resistant.



2 Keys Included Can be keyed alike to other Lockwood door locks.



Retrofitable Replace your existing 001 Deadlatch™.

355 Double Cylinder Deadlock

Finish	Trade Pack	Display Pack
Everbrass	_	355-NEVBDP
Satin Chrome Pearl	355-NSP	355-NSPDP
Chrome Plate	_	355-NCPDP
Brown	_	355-NBRNDP

303 Single Cylinder Deadlock



Description

The security features provided by the 303 Single Cylinder Deadlock make it an ideal lockset for both domestic and commercial applications.

Opened by key from outside and by turn knob from inside.

Features and Specifications

- Suitable for hinged and some sliding doors
- Lockable turn knob with inbuilt clutching device to resist wrench attack
- Strong interlocking case and mounting plate to resist jemmy and hammer attack
- Concealed fixing
- Positive deadlocking action
- The mechanism and the design are protected by Australian and International Patents and Design Registrations

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Product Details	
Backset	60mm
Bolt	Stainless steel
Case	Thick walled, high purity zinc alloy casting. 121mm wide, 76mm high, 56 projection
Case Retainer Plate and Operating Mechanism	Solid pressed steel and diecast. Zinc components.
Cyinder	External 5 pin tumbler mechanism. Brass cylinder and brass barrel.
Door Thickness	30 - 45mm
Finish	Satin Chrome Pearl (SP)
Packers	3mm thick packing plates installed under lock body to align lock body with face of jamb
Strike Conversion Plate	A strike conversion plate is required where the strike is to be installed in place of an existing flange strike
Mounting Plate and Strike	Pressed steel

Standards and Compliance

Conforms to Australian Standard (AS4145.2-1993)

Restricted Special Keying


Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.





303 Single Cylinder Deadlock

Single Cylinder with Knob









Exterior Cylinder

Interior



Kinetic Defence® Bump and pick resistant.



2 Keys Included Can be keyed alike to other Lockwood door locks.




Retrofitable Replace your existing 001 Deadlatch™.

303 Double Cylinder Deadlock


Finish	Trade Pack	Display Pack
Satin Chrome Pearl	303-NSP	303-NSPDP
Satin Chrome Pearl	303-NSPNOCYL	

303 Single Cylinder Deadlock - Accessories


3mm Packing Plate	
Finish	Trade Pack
Black	335-526BLK




Retrofit Flanged Strike Cover		
Finish	Trade Pack	
Gold	355-552GLD	
Satin Chrome Pearl	355-552SP	
Chrome Plate	355-552CP	
Brown	355-552BRN	



Universal Strike Cover		
Finish	Trade Pack	
Satin Chrome Pearl	355-152NSP	



Strike Loops		
Finish	Trade Pack	
Chrome Plate	355-53NCP	
Satin Chrome Pearl	355-53NSP	



507 Fire Rated Night Latch



Description

The 507 Nightlatch is fire rated to 4 hours, making it the ideal lockset for a range of commercial applications – utility and service cupboards.

Opened by key from outside and by turn knob from inside.

Features and Specifications

- Steel case, strike and latchbolt
- Designed for surface mounting on the inside of outward opening doors
- Available with standard box strike (RBP model) or open out strike (RBS model)
- Latchbolt operated by key from outside and by turn from inside

Keying

Supplied less cylinder

Product Details		
Backset	60mm	
Case	Steel	
Door Thickness	32 - 60mm	
Latch	Steel	

Note: Cylinder sold separately

Standards and Compliance




The Lockwood 507 Rim Nightlatch has been fire rated up to 4 hours on fire door assemblies in accordance with Australian standard (AS 1905.1:2005), Part 1: Fire Resistant Doorsets

507 Fire Rated Night Latch

507





Interior Open Out Strike Box Strike



Kinetic Defence®
Bump and pick resistant.




2 Keys Included Can be keyed alike to other Lockwood door locks.



Retrofitable Replace your existing 001 Deadlatch™.

507 Fire Rated Nightlatch

Finish	Trade Pack	Cylinder
Satin Chrome Pearl	507RBS SP	Cylinder not included with open out strike
Satin Chrome Pearl	507RBP SP	Cylinder not included with box strike
Satin Chrome	201CYLSC	Lockwood standard cylinder



Description

Commercial grade nightlatch with inside snib designed for surface mounting on the inside of outward opening doors.

Opened by key from outside and by turn knob from inside.

Features and Specifications

- Inside snib may be used to hold-back latchbolt
- Steel case and strike
- Available with standard box strike (RBP model) or open out strike (RBS model)
- Bolt hold-back function activated by snib
- Latchbolt operated by key from outside and by turn from inside

Keying


Supplied less cylinder

Product Details	
Backset	60mm
Case	Steel
Door Thickness	32 - 60mm
Latch	Brass

Note: Cylinder sold separately

509





Interior Open Out Strike Box Strike

509 Nightlatch		
Finish	Trade Pack	Cylinder
Satin Chrome Pearl	509RBS SP	Cylinder not included with open out strike
Satin Chrome Pearl	509RBP SP	Cylinder not included with box strike
Satin Chrome	201CYLSC	Lockwood standard cylinder



Description

General purpose nightlatch with inside snib.

Features and Specifications

- Opened by key from outside and by turn knob inside
- Inside snib may be used to hold-back or deadlock bolt, so that key will not operate

Open Out Strike

Part Number SP201-67SC.

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Restricted Special Keying


Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Product Details	
Backset	60mm
Case	High purity zinc alloy. 92mm wide, 64mm high, 43mm projection
Cylinder	5 pin tumbler mechanism. Brass cylinder and brass barrel.
Door Thickness	28 – 45mm
Latch	Brass. Reversible. 13mm projection



201





Exterior Cylinder

Interior

201 Nightlatch		
Finish	Trade Pack	Cylinder
Florentine Bronze Cylinder	201FB	201FBDP
Chrome Plate Cylinder	201CP	201CPDP
No Cylinder		
Brown	201NOCYL	



Description

General purpose nightlatch.

Features and Specifications

- Opened by key from outside and by turn knob inside
- Bolt may be held back by turning knob in clockwise direction

Open Out Strike

Part Number SP201-67SC.

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P


Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Product Deta	ils
Backset	60mm
Case	High purity zinc alloy. 92mm wide, 64mm high, 43mm projection
Cylinder	5 pin tumbler mechanism. Brass cylinder and brass barrel.
Door Thickness	28 – 45mm
Latch	Brass. Reversible. 13mm projection

100





Exterior Cylinder

Interior

100 Nightlatch		
Finish	Trade Pack	Cylinder
Florentine Bronze Cylinder	100FB	100FBDP
Chrome Plate Cylinder	100CP	100CPDP
No Cylinder		
Brown	100NOCYL	



Description

Medium security general purpose streamlatch.

Features and Specifications

- Opened by key from outside and turn knob inside
- Inside snib may be used to hold-back or deadlock bolt so that key will not operate
- Available in trade pack only

Open Out Strike

Part Number SP201-67SC.

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P


Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Product Details	
Backset	60mm
Case	High purity zinc alloy. 92mm wide, 64mm high, 43mm projection
Cylinder	5 pin tumbler mechanism. Brass cylinder and brass barrel.
Door Thickness	28 – 45mm
Latch	Brass. Reversible. 13mm projection

211





Exterior Cylinder

Interior

211 Nightlatch	
Finish	Trade Pack
Chrome Plate all over	211CPAO
Satin Chrome Pearl all over	211SPAO

211SPAONOCYL

No Cylinder

Satin Chrome Pearl all over

200 Narrow Stile Streamlatch



Description

General purpose streamlatch designed to suit narrow doors.

Features and Specifications

- Opened by key from outside and turn knob inside
- Inside snib may be used to hold-back or deadlock bolt so that key will not operate

Open Out Strike

Part Number SP201-67SC.

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Product Details		
Backset	38mm for narrow stile doors	
Case	High purity zinc alloy. 68mm wide, 57mm high, 43mm projection.	
Cylinder	5 pin tumbler mechanism. Brass cylinder and brass barrel.	
Door Thickness	28 - 45mm	
Latch	Brass. Reversible. 13mm projection.	




200 Narrow Stile Streamlatch


200











Exterior Cylinder

Interior

200 Narrow Stile Streamlatch

Finish	Trade Pack
Chrome Plate all over	200CPAO
Satin Chrome Pearl all over	200SPAO

No Cylinder

Satin Chrome Pearl all over 200SPAONOCYL

213 Streamlock Deadbolt



Description

General purpose deadbolt.

Features and Specifications

 Locked or unlocked by key outside and by turn knob inside

Open Out Strike

Part Number SP201-67SC.

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Product Details		
Backset	60mm	
Bolt	Brass. 16mm projection	
Case	High purity zinc alloy. 92mm wide, 64mm high, 43mm projection.	
Cylinder	5 pin tumbler mechanism. Brass cylinder and brass barrel. Suitable for all cylinder rim locks. Extruded brass cylinder.	
Door Thickness	28 - 45mm	



213 Streamlock Deadbolt

213



Exterior Cylinder

Interior

Product Details - 213 Streamlock Deadhol

Finish	Trade Pack
Chrome Plate all over	213CPAO
Satin Chrome Pearl all over	213SPAO

No Cylinder

Satin Chrome Pearl all over 213SPAONOCYL

Product Details - 201 Cylinder

Finish	Trade Pack	Display
Chrome Plate	201CYLCP	201CYLCPDP
Satin Chrome Pearl	201CYLSP	201CYLSPDP
Polished Brass	201CYLPBP	_
Florentine Bronze	_	201CYLFBDP

Product Details - 201 Cylinder

Finish	Trade Pack	Display	
Satin Chrome Pearl	201-252SP		

Note: Solid Brass Cylinder





Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call 1300WARRANTY

ASSA ABLOY Australia Pty Ltd 235 Huntingdale Road Oakleigh, Victoria, 3166 Australia

1300 LOCK UP (1300 562 587) lockweb.com.au

ASSA ABLOY New Zealand Ltd 6 Armstrong Road Albany, Auckland, 0632 New Zealand

info.nz@assaabloy.com Telephone +64 9415 7111 assaabloy.co.nz

