

GAIT


Panic Exit Devices

Section 15.

Panic Exit Devices

Panic Exit Devices

10 YEAR WARRANTY



Rim Touch Bar Panic Exit Device 5701

Exit Only
For door widths 650mm to 910mm
Non-handed and reversible
Slight pressure anywhere on the bar retracts the latch bolts
Fire rated

Material: Stainless Steel
Dimensions: 835mm x 64mm x 110mm

GT5701SLV

S

GT5701SSS

SS

10 650-910MM



Vertical Rod Touch Bar Panic Exit Device 5711

Exit Only
Suitable for door widths 650mm to 910mm
Non-handed and reversible
Slight pressure anywhere on the bar retracts the latch bolts
Fire rated
Max door height: 2000mm

Material: Stainless Steel
Dimensions:
- Touch Bar: 835mm x 64mm x 110mm
- Rod 1: 870mm x 26mm x 20mm
- Rod 2: 1140mm x 26mm x 20mm

GT5711SLV

S

GT5711SSS

SS

10 650-910MM

Accessories



Exterior Rim Cylinder 6 pin

Finish: Satin Chrome
Cylinder: C4 Keyway
2 keys supplied
Cylinder Diameter: 45mm

201RC6PSCP

SC

201RC6PSCPKA

SC



5 YEAR WARRANTY



Panic Exit Device Exterior Key Locking Knob

Material: Stainless Steel
Rose Diameter: 77mm
Projection: 70mm

GT57LKSCP

SC

5 YEAR WARRANTY



Panic Exit Device Exterior Key Locking Lever

Material: Stainless Steel
Rose Diameter: 77mm
Projection: 70mm

GT57LLSCP

SC

5 YEAR WARRANTY

All Measurements: Width x Height x Depth in mm

Accessories



Panic Exit Device Top Latch 5711

Material: Stainless Steel
Dimensions: 133mm x 48mm x 35mm

GT5711TSLV

S

GT5711TLSSS

SS

5 YEAR WARRANTY



Panic Exit Device Bottom Latch 5711

Material: Stainless Steel
Dimensions: 133mm x 48mm x 35mm

GT5711BLSLV

S

GT5711BLSSS

SS

5 YEAR WARRANTY



Panic Exit Device Top Strike Plate 5711

Top strike plate with two shims

Material: Steel
Dimensions: 60mm x 35mm x 20mm

GT5711TSP

S

5 YEAR WARRANTY



Panic Exit Device Bottom Strike Plate 5711

Bottom Strike Plate with two shims

Material: Steel
Dimensions: 56mm x 45mm x 10mm

GT5711BSP

S

5 YEAR WARRANTY



Panic Exit Device Rim Strike Plate 5701


Rim Strike Plate with shim

Material: Steel
Dimensions: 83mm x 28mm x 18mm

GT5701SP

S

5 YEAR WARRANTY



Double Door Strike Plate 5701

Suitable for GT5701

Used when putting a GT5711 on the fixed leaf of a set of double doors and a GT5701 on the active leaf


Fixed onto the fixed leaf so that the latch of GT5701 picks up on the strike when closing

GT57DDS

S

5 YEAR WARRANTY

Material: Steel
Dimensions: 70mm x 70mm x 17mm



Vertical Rod Extension 5711

For use with GT5711 for fitting to an over height door
Max Door height: 2400mm

Material: Stainless Steel
Dimensions: 1446mm x 26mm x 20mm

GT5711EXTSLV

S

GT5711EXTSSS

SS

5 YEAR WARRANTY

GAIT[®]



Pioneering the delivery of a consistent supply of quality products together with our commitment to expert knowledge and service.

Founded in 1989 and still run today by the Given family, Gait Trading has decades of specialised industry knowledge together with an unwavering commitment to outstanding customer service.

Offering a comprehensive range of residential and commercial door hardware and locksmithing supplies, we are continually expanding our range to meet the needs of the building and locksmith industries. By not selling directly to the end user, we maintain our focus on and commitment to the success of our retailers throughout New Zealand.

Proudly New Zealand owned and operated, you can rely on us to deliver reliable, quality products and service.



Finishes

AB

Antique Brass

Our antique brass is raw brass which has been chemically darkened to simulate aged brass and lacquer coated to prevent tarnishing over time. Natural variation in the brown hues is apparent.

PB

Polished Brass

Our polished brass finish is raw brass that is polished, and lacquer coated to avoid tarnishing.



Powder Coated Colours

Our powder coated colour finishes are applied as a free-flowing, dry powder that is then cured under heat to create a hard finish that is tougher than conventional paint.

RCI

Raw Cast Iron

Our raw cast iron finish is iron that has been melted and moulded into shape and cooled.

SC

Satin Chrome

The satin chrome finish is a durable, dull grey/blue finish that is produced by electroplating a thin layer of chromium onto brushed metal for a satin/matt effect. The brushed effect does not readily show fingerprints.

SN

Satin Nickel

Our satin nickel finish is nickel electroplated onto metal that has been brushed and is then lacquer coated for added protection. Satin Nickel is sometimes referred to as brushed nickel. It is similar in appearance to brushed stainless steel or brushed aluminium. The brushed effect does not readily show fingerprints.

SA

Silver Anodised

Our silver anodized finish increases the thickness of the natural oxide layer on the surface of the metal to reduce corrosion and improve wear resistance, while adding the silver colour.

SS

Stainless Steel

Our satin stainless steel alloy extends a durable, mildly brushed finish that offers superb corrosion resistance.

Care & Maintenance

Stainless Steel

To maintain the longevity and appearance of our stainless steel finish, we recommend routine cleaning using soap, warm water and a dust and grit free cloth. In coastal environments regular cleaning is recommended.

Do not use cleaners with bleach, abrasives or vinegar. Never use any type of abrasive pad or sponge.

Antique and Polished Brass – Living Finishes

A clear protective lacquer coat has been applied to these finishes which increases the durability of the finish. The underlying brass is however susceptible to tarnishing when the coating is damaged, and the brass is exposed to atmospheric conditions. This damage can happen when using caustic cleaning products and also from scratches to the surface. Regular cleaning with soap and warm water is recommended as well as polishing periodically with a wax polish, especially if the finish is exposed to high use or exterior weather conditions.

Satin Chrome and Satin Nickel

To retain the satin finish, these plated finishes should be regularly cleaned using mild, soapy water and a non-abrasive cloth. To clean, polish and protect the finish further, especially in coastal environments, a metal polish can be applied according to the manufacturer's directions.












































Powder Coated Colours

Routine cleaning using soap, warm water and a dust and grit free cloth is recommended. In coastal environments regular cleaning is recommended. Polishing periodically with a wax polish, especially if the finish is exposed to high use or exterior weather conditions, is recommended.

Digital Manual Drive Deadbolts

Due to the electronic components of this lock, it is important to ensure that these deadbolts are used in locations where they have protection from moisture, especially rain. Most external doors have a roof overhang of some kind which would provide enough protection.

Icon Key

	Residential		Fire Rated
	Commercial		Wall Mounted
	5 Year Warranty on Material and Workmanship		Floor Mounted
	10 Year Warranty on Material and Workmanship		Exterior Use
	25 Year Warranty on Material and Workmanship		Heavy Duty
	12 Months Electronic Component Warranty		Keyless Entry
	Display/Visual Packaging		C4 Keyway
	Box/Trade Packaging		Keyed Alike
	Keyed alike in Box /Trade Packaging		Double Cylinder Entrance Set (Key/Key)
	Stock Colours Available		Single Cylinder Entrance Set (Key/Press)
	Special Powder Coat Colours Available		Single Cylinder Entrance Set (Key/Turn)
	23mm Backset		Privacy Set
	30mm Backset		Passage Set
	40mm Backset		Single Lever Exit Lock
	45mm Backset		Dummy
	60-70mm Backset		31-51mm Door Thickness
	60mm Backset		33-40mm Door Thickness
	70mm Backset		35-45mm Door Thickness
	95mm Backset		35-50mm Door Thickness
	127mm Backset		35-51mm Door Thickness
			35-55mm Door Thickness
			35-65mm Door Thickness
			40-50mm Door Thickness

WARRANTY INFORMATION:

MATERIAL AND WORKMANSHIP:

Gait Trading (the 'Company') warrants its products to be free from defects in material and workmanship for the periods stated below, from the date of purchase. The company will, at its option, repair or replace any products which within the opinion of the company are found to be defective.

1. **B2/AS1 Compliance, New Zealand Building Code Durability Clause B2.**
All Gait Trading products come with warranties that meet the stipulated New Zealand Building Code compliance.
2. **Gait Trading Products warranty on material and workmanship;**
 - a. 10 Years on all compete products
 - b. 5 Years on all accessories
3. **EZSET Brand Products;**
 - a. 25 Year mechanical warranty on material and workmanship excluding electronic components
 - b. 12 Month electronic component warranty on material and workmanship

FINISH:

4. The Company warrants that, subject to the exclusions and limitations below, the finish on its products will be free from surface and colouration defects for a period of 5 years from the date of purchase, excluding:
 - a. Exclusions and limitations: As different finishes have varied and unique properties that may affect the suitability and durability of a finish, the warranty period for Powder Coated, Electroplated and Living Finishes (Brass) will be limited to 1 year. This excludes EZSET Brass Products which carry a 5 year warranty.

CONDITIONS AND EXCLUSIONS:

5. Proof of purchase must be submitted with all warranty claims;
6. No installation or call out fees will be paid;
7. The warranty shall not cover any defect or damage which may be caused or partly caused by or arise through:
 - a. Failure on the part of the Buyer to properly install or maintain any Goods; or
 - b. Failure on the part of the Buyer to follow any instructions or guidelines provided by the Seller; or
 - c. Fair wear and tear,
 - d. or any accident, or
 - e. If the Goods are repaired, altered or overhauled without the Seller's consent.
8. In respect of all claims, the Seller shall not be liable to compensate the Buyer for any delay in either replacing or repairing the Goods or in properly assessing the Buyer's claim.
9. No other warranties, express or implied, are made with respect to the products or services including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose. This warranty does not exclude, restrict or modify any statutory rights. Gait Trading shall in no event be liable for any incidental or consequential damages for breach of any warranty.

Gait Trading
120 Birch Avenue
Tauranga

07 571 8277
Buy online at www.gait.co.nz
sales@gait.co.nz

GAIT[®]

PO Box 2006, Tauranga

Disclaimer

Products appearing in this catalogue are subject to availability. Gait Trading retains the right to alter, upgrade or discontinue any product or information contained within this catalogue, without notice. Information in this catalogue is up to date at the time of going to print but is subject to change without notice.

While we endeavour to supply accurate information in this catalogue, errors and omissions may occur. Gait Trading does not accept any liability, direct or indirect, for any loss or damage which may directly or indirectly result from any advice, opinion, information, representation or omission whether negligent or otherwise, contained in this catalogue. You are solely responsible for the actions you take in reliance on the content presented in this catalogue.